

Antialgas Abrillantador

Protección contra algas y al agua más azul que nunca

Compuesto de acción rápida, formulado a base de productos de carácter tensoactivo con un elevado poder bactericida, algicida y fungicida, destinado a evitar la formación y desarrollo de algas en el agua de la piscina.

PROPIEDADES

Aspecto	Líquido fluido
Color	Azul
pH (concentrado a 20°C).....	2
Densidad 20°C	1,01 g/cc
Composición.....	Cloruro de benzalconio

DOSIFICACIÓN

Tratamiento inicial:

Adicionar 2 l de Antialgas Abrillantador por cada 100 m³ de agua.

Tratamiento de Mantenimiento:

Añadir una vez por semana 0,5 l de Antialgas Abrillantador por cada 100 m³ de agua.

El Tratamiento inicial se podrá repetir siempre que se aprecie una falta de transparencia en el agua.

Estas dosis son de carácter orientativo, y pueden ser modificadas en función de las características propias de cada piscina, climatología, etc.

MODO DE EMPLEO

Prevención contra las algas: Verter la dosis necesaria en un recipiente con agua y repartir dicha solución sobre la superficie de la piscina por un igual.

La adición de los productos químicos se realizará preferentemente al atardecer y sin la presencia de bañistas en el agua de la piscina.

INFORMACIÓN PARA LA SEGURIDAD DEL USUARIO

- Manténgase fuera del alcance de los niños.
- Nocivo por ingestión.
- Irrita los ojos y la piel.

EN CASO DE ACCIDENTE O MALESTAR, ACUDA INMEDIATAMENTE AL MÉDICO
(Si es posible muéstrole la etiqueta).

La información contenida en este folleto es según nuestro criterio correcta. No obstante, como las condiciones en las que se usan estos productos caen fuera de nuestro control, no podemos responsabilizarnos de las consecuencias de su mala utilización.

ALGICIDE WITH BRIGHTENER

11413, 11414 & 11415

Effective fast-acting quaternary Ammonium based compound, with a powerful bactericidal, fungicidal and algicidal action, intended for the prevention and elimination of algae.

PROPERTIES

Appearance	Liquid
Colour	Blue
Density	2
pH of 1 % solution	1,01 g/c.c.

DOSAGE

Algae prevention Treatment.

- Initial Treatment: Add 2 litres of 11413 per 100 m³ of water.
- Maintenance Treatment: Add 0.5 litres of 11413 per 100 m³ of water every week.

The Initial treatment should be repeated whenever the water does not appear transparent.

This dosage is merely meant as a guideline and may be modified according to differing characteristics of the pool or climate.

INSTRUCTIONS FOR USE

Algae Prevention.

Pour the required amount of 11413 into a container with water and distribute it evenly over the pool water surface.

11413 should be added when there are no swimmers in the pool and preferably during the evening.

PRESENTATION

In 1 – 2 - 5 and 25 Lts. containers.

SAFETY PRECAUTIONS:

- Keep the container sealed in a dry place, away from heat and out of the reach of children.
- Should the product be swallowed or brought into contact with the eyes, visit a doctor immediately.
- Do not mix it with other chemical compounds.

IN CASE OF AN ACCIDENT OR DISCOMFORT, CONSULT A DOCTOR IMMEDIATELY (showing him/her the label, if possible).

The information contained in this page is accurate when the correct procedures are followed. We hold no responsibility for misuse of the product.